

Vacuum glass lifter

Model

VB4 RCEBE



positions, thanks to four extension arms.








The VB4 RCEBE is a battery-powered vacuum lifter with **continuous 360° electric rotation and powered tilt**. The rechargeable batteries can be easily removed and quickly replaced. The suction pads can be positioned in two different positions or in the PRO version, in four

The aspiration, release and tilting and rotating commands are controlled by **wireless radio remote control**. VB4 RCEBE 400kg is a specific vacuum glass lifter for construction site use with **dual vacuum circuit** according to EN13155.


The same model is also available with vacuum pads d. 390 mm and 600kg capacity (mod. VB4RCEBE d4 PRO).





Vacuum glass lifter

Technical drawing



Technical specification

Application	Glass panels
Lifting capacity	Max 400 kg
Suction pads	No. 4 round suction pads diameter 390 mm
	Lipped pads with safety ring
Pad spread	A mm 863x666
	B mm 1166x861
Load movement	Continuous 360 degrees powered rotation
	90 degrees powered tilt
Operating system	DC vacuum pump powered from on-board batteries
	High capacity re-chargeable batteries
	Battery status indicator
	Economizer for reduction of the energy consumption
Vacuum system	2 independent vacuum circuits, each vacuum circuit with vacuum reserve and non return valve
Weight of lifter	Kg 135
Structural depth	mm 614
Control	Radio remote control
	Release of the load by dual action security command
Standard features	Audible and visual low vacuum warning devices
	Vacuum gauge for each vacuum circuit
	Battery charger 240 Volt
	Vacuum filter
	Multi position hook connection